

vation myocardial infarction primary PCI in multi-vessel disease DANAMI3-PRIMULTI. San Diego: ACC 2015.

24. El-Hayek GE, Gershlick AH, Hong MK et al. Meta-Analysis of Randomized Controlled Trials Comparing Multivessel Versus Culprit-Only Revascularization for Patients With ST-Segment Elevation Myocardial Infarction and Multivessel Disease Undergoing Primary Percutaneous Coronary Intervention. *Am J Cardiol* 2015; 115: 1481–1486. doi: 10.1016/j.amjcard.2015.02.046.

25. Baine KR, Mehta SR, Lai T et al. Complete vs culprit-only revascularization for patients with multivessel disease undergoing primary percutaneous coronary intervention for ST-segment elevation myocardial infarction: A systemic review and meta-analysis. *Am Heart J* 2014; 167: 1–14. doi: 10.1016/j.ahj.2013.09.018.

26. Sarathy K, Nagaraja V, Kapur A et al. Target-vessel versus multivessel revascularisation in st-elevation myocardial infarction: a meta-analysis of randomised trials. *Heart Lung Circ* 2014; 24: 327–334. doi: 10.1016/j.hlc.2014.10.013.

27. Moretti C, D'Ascenzo F, Quadri G et al. Management of multivessel coronary disease in STEMI patients: a systematic review and meta-analysis. *Int J Cardiol* 2015; 179: 552–557. doi: 10.1016/j.ijcard.2014.10.035.

28. Yeh RW, Drachman DE. Culprit only, multivessel, or staged multivessel intervention in STEMI: new insights or insurmountable methodologic obstacles? *Catheter Cardiovasc Interv* 2014; 84: 923–924. doi: 10.1002/ccd.25673.

29. Widimsky P, Holmes DR. How to treat patients with ST-elevation acute myocardial infarction and multi-vessel disease? *Eur Heart J* 2011; 32: 396–403. doi: 10.1093/eurheartj/ehq410.

30. Bailey SR. Revascularization for ST segment elevation MI: advances in treatment of multivessel disease in STEMI. *Catheter Cardiovasc Interv* 2014; 84: 857–858.

31. Pollack A, Mohanty BD, Handa R et al. Preventive Stenting in Acute Myocardial Infarction. *JACC Cardiovasc Interv* 2015; 8: 131–138. doi: 10.1016/j.jcin.2014.09.006.

32. Goldstein JA, Demetriou D, Grines CL et al. Multiple complex coronary plaques in patients with

acute myocardial infarction. *N Engl J Med* 2000; 343: 915–922.

33. Takano M, Inami S, Ishibashi F et al. Angioscopic follow-up study of coronary ruptured plaques in nonculprit lesions. *J Am Coll Cardiol* 2005; 45: 652–658.

34. Ambrose JA, D'Agate DJ. Plaque rupture and intracoronary thrombus in nonculprit vessels: an eyewitness account. *J Am Coll Cardiol* 2005; 45: 659–660.

35. Glaser R, Selzer F, Faxon DP et al. Clinical progression of incidental, asymptomatic lesions discovered during culprit vessel coronary intervention. *Circulation* 2005; 111: 143–149.

Doručeno do redakce: 22. 6. 2015

Přijato po recenzi: 20. 7. 2015

MUDr. Ota Hlinomaz, CSc.

www.fnusa.cz

ota.hlinomaz@fnusa.cz

## Erratum

V časopise *Kardiologická revue – Interní medicína* 2015/2 byly v příspěvku L. Mífkové et al (*Kardiol Rev Int Med* 2015; 17: 141–148) chybně uvedeny popisky v tabulce. Níže uvádíme správnou verzi.

## Přímé versus nepřímé metody stanovení intenzity zatížení v kardiovaskulární rehabilitaci

L. Mífková<sup>1,2</sup>, F. Várnay<sup>1</sup>, P. Homolka<sup>1,3</sup>, J. Jančík<sup>1</sup>, R. Panovský<sup>3,4</sup>, P. Dobšák<sup>1,3,5</sup>, J. Siegelová<sup>1,5</sup>, L. Špinarová<sup>3,4</sup>

<sup>1</sup> *Klinika tělovýchovného lékařství a rehabilitace LF MU a FN u sv. Anny v Brně*

<sup>2</sup> *Katedra fyzioterapie a rehabilitace, LF MU, Brno*

<sup>3</sup> *Mezinárodní centrum klinického výzkumu, FN u sv. Anny v Brně*

<sup>4</sup> *I. interní kardiologická klinika LF MU a FN u sv. Anny v Brně*

<sup>5</sup> *Katedra fyzioterapie a rehabilitace, LF MU, Brno*

Tab. 4. Zařazení VT1 (vyjádřeného jako % VO<sub>2</sub>R) dosaženého u vyšetřovaného souboru (n = 57) do pásem relativní intenzity zatížení podle American College of Sports Medicine.

Relativní intenzita zatížení podle ACSM pro zdravou populaci. Upraveno dle [24].			Muži (n = 43)		Ženy (n = 14)	
			VT1 jen dle % VO <sub>2</sub> R počet	soulad mezi % VO <sub>2</sub> R i % HRR počet	VT1 jen dle % VO <sub>2</sub> R počet	soulad mezi % VO <sub>2</sub> R i % HRR počet
Intenzita	% SF <sub>max</sub>	% VO <sub>2</sub> R, % HRR				
very light	< 50	< 20	0	0	0	0
light	50–63	20–39	15	7	4	2
moderate	64–76	40–59	27	20	10	5
hard	77–93	60–84	1	0	0	0
very hard	≥ 94	≥ 85	0	0	0	0
maximal	100	100	0	0	0	0
<b>Součet</b>			43	27	14	7